

HEAVY DUTY WORKBENCH EASY ORDER GUIDE

Distributed by:

.... 1 BAAA

THURSDAY IN

BENCHMARK

SHELVING & STORAGE

07 3180 3868

info@benchmarkss.com.au www.benchmarkss.com.au

0

BTK.005.03

BENEFITS OF A HEAVY DUTY WORKBENCH

Boscotek Heavy Duty Workbenches help you optimise performance in the workplace by providing efficient, multi-functional and ergonomic workspaces which significantly improve productivity, space maximisation and produce a safer working environment.

Tailor your Workbench to your needs while providing greater versatility than conventional benches. Whether you choose stationary or mobile, or choose from our extensive selection of flexible accessories, you can design a workbench that exactly suits your requirements.

The Heavy Duty Workbench is a complete system, taking the advantages of our Modular and Industrial Workbenches and combining them to offer a superior quality and competitvely priced workbench capable of a **1 tonne load capacity** (not on castors).

Feature Laminated timber

The workbench work top is arguably the most important feature of any workbench. The heavy duty workbench comes with a 40mm thick compressed timber bench top with a 2mm laminated worksurface with black edge banding. These durable and strong bench tops resist acid, alkali and oil. The under side of the worksurface is laminated to prevent moisture absorption, warping and shedding. Alternative bench tops available on following page.

Benefit An ideal work surface for most applications.

	Feature	Feature Thick tubular frame construction						
2	is powder (I frame assembly is constructed from tubular steel and coated in wedgewood blue as standard. Workbenches ed flat packed (unless otherwise stated).						
	Benefit	Reliable and strong workspace solution.						

	Feature	Rear brace support				
3	The tubular steel rear brace support gives lateral rigidity to the Heavy Duty Workbench. Additional brace supports are needed to support the undershelf.					
	Benefit	Lateral rigidity and additional support.				

	5

4	Feature	Accessories						
	The Heavy Duty Workbench is available with a range of under bench bottom (<i>B</i>) and above bench top (<i>T</i>) accessories. Combine these codes on the following pages to complete your workbench configuration or choose your own.							
	Benefit	Allows for over 1000 combinations to suit any application.						

	Feature 1 tonne static distributed load capacity							
5	and heavy workbench	ombination of an thick tubular frame, 42mm bench top duty levelling feet have resulted in an extremely strong rated with a static distributed load capacity of 1 tonne. r the most demanding industrial applications.						
	Benefit	Increased weight capacity for professionals.						

	Feature 1500mm, 1800mm & 2100mm width available							
6	Available in 3 widths. 1500mm, 1800mm and 2100mm wide. See the configurations page for more information.							
	Benefit	Gives flexibility to suit your workshop.						

	Feature Heavy Duty large levelling feet							
7	The heavy duty levelling feet are extremely strong, consisting of a 80mm footprint. Soled with a dense rubber compound and allowing for 22mm of extra height adjustment. Levelling feet are supplied as standard and can be bolted to the ground easily.							
	Benefit	Ensures level worksurface with high load capacity and improved stability. Can be bolted.						

CHOOSE YOUR CONFIGURATION

With 4 easy steps to choose your HEAVY DUTY WORKBENCH

Select your workbench size Step 1

900mm(h) X 1500mm(w) X 750mm(d) code WBH.915 900mm(h) X 1800mm(w) X 750mm(d) code WBH.918 900mm(h) X 2100mm(w) X 750mm(d) code WBH.921

2 Select your bench top options Step

Laminated timber

35mm grey laminated compressed timber with black edge banding. These durable and strong bench tops resist acid, alkali and oil.



38mm solid hardwood timber oiled top

Oak Hardwood timber

2mm mild steel

2mm mild steel top powder coated matt black over 33mm HMR compressed timber

3mm mild steel

3mm mild steel top powder coated matt black. Suitable for welding applications

Stainless steel

1.2mm 2B/304 stainless steel top over compressed 33mm HMR timber top

Galvanised steel

1.5mm galvanised steel top over compressed 33mm MMR timber top



Select your under bench (B) and above bench (T) workbench configuration from the codes on the following pages or choose a custom combination from the items below

Under bench (B)

Under shelf 1, 2, & 3 Drawer unit * 5 Drawer unit * Cupboard unit * Mobile 5 drawer unit * Mobile cupboard unit

Above bench (T)

Adjustable tray shelf Peg board panels Louvre panels * Fixed shelf * Adjustable inclinded shelf Tool hanging accessories Heuer bench vice LCD monitor arm

* = Not shown





CHOOSE YOUR ACCESSORIES

180

Drawer units

Storage of hand tools and small parts are made easy with under bench or mobile drawer storage units and cupboards. Mounted on rails to the cross brace, the drawer units can be located anywhere along the workbench width or on the left or right side. 5 drawers units and cupboards are available as mobile and fixed. If a fixed configuration is selected an under shlef is required also.

- Available in 1,2,3 & 5 drawer and cupboard units
- Aluminium handle with label and clear plastic lens
- Key lockable with 2 two keys
- Drawer front = 75mm high on 1D, 2D & 3D
- Drawer front = 150mm high on bottom 5 drawer unit only
- Ball bearing runners. Load rating 40kg per drawer.
- Each drawer includes steel dividers and partitions
- Top drawer only on 5 drawer units comes with plastic bins
- Dual heavy duty aluminium handle on 5 drawer mobile unit and mobile cupboard unit

Lockable castors

Non marking heavy duty castors make workbenches mobile, ideal for changing workflow patterns and relocation.

- Non marking polyurethane compound
- Swivel and brake design

NB: Castors reduce weight capacity of workbench and increase workbench height by 75mm

Adjustable tray shelf


Full length adjustable tray shelves for storing smaller items and tools.

- Back support and large front lip
- Interlocking design with mounted vertical posts
- Available for 1500 1800 & 2100 workbenches

Fixed shelf

Two tier fixed shelf for storing slightly heavier items, tools and parts

- Back and front lip for retaining items
- Side mounting bracket with 4 clamping knobs
- 40kg UDL load capacity per shelf
- Available for 1500, 1800 & 2100 workbenches









Inclined shelf

Adjustable inclined shelf makes items easier to access

- Back and front lip for retaining items
- Post mounting with 2 clamping knobs
- 20kg UDL load capacity
- Adjustable incline to 0, 15 & 30 degrees
- Available for 1500, 1800 & 2100 workbenches

Louvre panel

Hanging louvre panels are a versatile addition to your workbench. Easily fitted to vertical mounting posts, louvre panels are designed to accommodate most industry standard plastic storge bins. Small parts and hardware can be quickly retrieved utilising the louvre panel system.

- 300 Return folds and rear brace for additional strength
- Interlocking design with mounting vertical posts
- Easy to install and remove
- Workbenches require 2 or 3 vertical mounting posts to use this accessory depending on width

Peg boards

Hanging peg board panels allow you the flexibility to customise tools and equipment storage with the use of a large range of accessories. The square hole design allows multiple configurations to suit any requirement. Louvre panels and peg boards can be combined to create the ultimate workbench solution.

- Square hole accepts mounting accessories
- Return folds and rear brace for additional strength
- Interlocking design with vertical mounting posts
- Easy to install and remove
- Workbenches require 2 or 3 vertical mounting posts to use this accessory depending on width

Under shelf

Store large items efficiently, making full use of the workbench footprint. The under shelf is easily installed and locked into place with the additional cross braces supplied.


- Return folds for additional strength
- Load rating of 50kg per shelf
- Available in 1500, 1800 & 2100 workbenches



300

.

300



Inclined shelf shown in the 30° posistion Plastic bins not supplied



_	_	_	_			-	-	-	 	and and an	-	 -	State State	1
n.					ш									
n														
		=			п									
										-				
														ш
-				ш					-					
	100													



TOOL HANGING ACCESSORIES

Lock & Twist Tool Hooks

With the Tool Board Panel System, tools and equipment are organised and neatly stored above the work top area with the use of varying sizes of hooks, holders and hangers. The simple lock and twist design means these tool hooks can be relocated with ease.

- Zinc plated steel & plastic mount
- Large range of hooks, hangers and holders
- Lock & twist design makes using simple
- Load rated to 5kgs per hook

Available in red • & green • kits or packs of 10 only. Number denotes quanity per kit.

Tool hanging accessory kits

 Red is recommended for 720mm & 1440mm wide panels 44 pieces in total

Multi-Purpose Holder



Spanner Holder





U Shape Holder



L(mm) W(mm) 70 25 4 2 23 55 4 2





ф (mr	n)
60	1
80	2

1



Green is recommended for 2052mm wide panel 76 pieces in total

Single Pin (100mm)






Tool Hook



Double Hook L(mm) W(mm) 25 35 3 3 50 35 3 100 35



All Lock & Twist Tool Hooks shown above are what is available in the red kit.



Contact us today on 07 3180 3868 or Visit our website www.benchmarkss.com.au



CHOOSE YOUR UNDER BENCH OPTIONS

....and combine it with an above bench option (T)







B7 code width MOBILE CUPBOARD 1500mm WBH.915.B7.T? 1 DRAWER UNIT 1800mm WBH.918.B7.T? 2100mm WBH.921.B7.T?





1500mm WBH.915.B8.T? WBH.918.B8.T? 2100mm WBH.921.B8.T?



B10 code 1 DRAWER UNIT 1500mm WBH.915.B10.T? **3 DRAWER UNIT**

1800mm WBH.918.B10.T? 2100mm WBH.921.B10.T?



B14 code UNDERSHELF 1500mm WBH.915.B14.T? 1800mm WBH.918.B14.T? 2100mm WBH.921.B14.T?

Contact us today on 07 3180 3868 or Visit our website www.benchmarkss.com.au



CHOOSE YOUR UNDER BENCH OPTIONS

WBH.918.B16.T?

....and combine it with an above bench option



1500mm WBH.915.B16.T? UNDER SHELF 2 DRAWER UNIT 1800mm 2100mm WBH.921.B16.T?



B18	width	code
UNDER SHELF	1500mm	WBH.915.B18.T?
DRAWER UNIT	1800mm	WBH.918.B18.T?

1

WBH.918.B18.T? 1 DRAWER UNIT 2100mm WBH.921.B18.T?



UNDER SHELF	1500mm	WBH.915. <mark>B20</mark> .T?
1 DRAWER UNIT	1800mm	WBH.918.B20.T?
3 DRAWER UNIT	2100mm	WBH.921.B20.T?



B22	width	code
UNDER SHELF	1500mm	WBH.915. <mark>B22</mark> .T
1 DRAWER UNIT	1800mm	WBH.918.B22.T
5 DRAWER UNT	2100mm	WBH.921.B22.T



UNDER SHELF 1500mm WBH.915.B17.T? WBH.918.B17.T? 3 DRAWER UNIT 1800mm 2100mm WBH.921.B17.T?



DIO	WICIII	coae
UNDER SHELF	1500mm	WBH.915. <mark>B19</mark> .T?
1 DRAWER UNIT	1800mm	WBH.918.B19.T?
2 DRAWER UNIT	2100mm	WBH.921.B19.T?





B23 code UNDER SHELF 1500mm WBH.915.B23.T? CUPBOARD UNIT 1800mm WBH.918.B23.T? 2100mm WBH.921.B23.T?



UNDER SHELF 1 DRAWER UNIT





B26 code UNDER SHELF 1500mm WBH.915.B26.T? 1800mm WBH.918.B26.T? **5 DRAWER UNIT** 5 DRAWER UNIT 2100mm WBH.921.B26.T?



Contact us today on 07 3180 3868 or Visit our website www.benchmarkss.com.au



B25

UNDER SHELF **5 DRAWER UNIT** CUPBOARD UNIT

width	code
1500mm	WBH.915. <mark>B25</mark> .T?
1800mm	WBH.918.B25.T?
2100mm	WBH.921.B25.T?



UNDER SHELF CUPBOARD UNIT CUPBOARD UNIT

width	code
1500mm	WBH.915.B27.T?
1800mm	WBH.918.B27.T?
2100mm	WBH.921.B27.T?

B28 MOBILE 5 DRAWER CABINET MOBILE 5 DRAWER CABINET

width	code
1500mm	WBH.915.B28.T?
1800mm	WBH.918.B28.T?
2100mm	WBH.921.B28.T?

CHOOSE YOUR ABOVE BENCH OPTIONS

and combine it with your choice of under bench (B) options to complete your configuration



1800mm WBH.918.B?.T8



1 x ADJUSTABLE SHELF TRAY 2 x PEG BOARDS & 2 LOUVRE PANELS 2100mm WBH.921.B?.T8



1800mm

1500mm WBH.915.B?.T1

2100mm WBH.921.B?.T1

WBH.918.B?.T1

T3 1500mm WBH.915.B?.T3 3 x VERTICAL MOUNTING POSTS 2 x ADJUSTABLE SHELF TRAYS 1800mm WBH.918.B?.T3 2 x PEG BOARDS 2100mm WBH.921.B?.T3

3 x VERTICAL MOUNTING POSTS

3 x ADJUSTABLE SHELF TRAYS



T5 3 x VERTICAL MOUNTING POSTS 1500mm WBH.915.B?.T5 2 x ADJUSTABLE SHELF TRAYS 1800mm WBH.918.B?.T5 1 x PEG BOARD & 1 x LOUVRE PANEL 2100mm WBH.921.B?.T5



11 **3 x VERTICAL MOUNTING POSTS** 1500mm WBH.915.B?.T7 1800mm 1 x ADJUSTABLE SHELF TRAY WBH.918.B?.T7 4 x LOUVRE PANELS 2100mm WBH.921.B?.T7

T0 NO ACCESSORIES 1500mm WBH.915.B?.T0 WBH.918.B?.TO 1800mm 2100mm WBH.921.B?.T0



T2

1500mm WBH.915.B?.T2 1800mm WBH.918.B?.T2 2100mm WBH.921.B?.T2

3 x VERTICAL MOUNTING POSTS 4 x ADJUSTABLE SHELF TRAYS



Τ4 3 x VERTICAL MOUNTING POSTS 1500mm WBH.915.B?.T4 2 x ADJUSTABLE SHELF TRAYS 1800mm WBH.918.B?.T4 2 x LOUVRE PANELS 2100mm WBH.921.B?.T4



T6 3 x VERTICAL MOUNTING POSTS 1500mm 1 x ADJUSTABLE SHELF TRAY 1800mm 4 x PEG BOARDS 2100mm

14

WBH.915.B?.T6 WBH.918.B?.T6 WBH.921.B?.T6

T10 ADJUSTABLE INCLINED SHELF (PLASTIC BINS NOT SUPPLIED)

1500mm WBH.915.B?.T10 1800mm WBH.918.B?.T10 2100mm WBH.921.B?.T10



T8 3 x VERTICAL MOUNTING POSTS 1 x ADJUSTABLE SHELF TRAY 2 x PEG BOARDS & 2 LOUVRE PANELS

Contact us today on 07 3180 3868 or Visit our website www.benchmarkss.com.au




width	code
1500mm	WBH.915.B?. <mark>T8</mark>
1800mm	WBH.918.B?.T8
2100mm	WBH.921.B?.T8

OR CHOOSE A CONFIGURED WORKBENCH

....and combine it with your workbench width to complete the configuration



WBH.9??.B15.T10 UNDER SHELF ADJUSTABLE INCLINED SHELF 1 DRAWER UNIT (PLASTIC BINS NOT SUPPLIED)





WBH.9??.B21.T1 UNDER SHELF 3 x VERTICAL MOUNTING POSTS 5 DRAWER UNIT 3 x ADJUSTABLE SHELF TRAYS



WBH.9??.B15.T4 UNDER SHELF 3 x VERTICAL MOUNTING POSTS 1 DRAWER UNIT 2 x ADJUSTABLE SHELF TRAYS 2 x LOUVRE PANELS



WBH.9??.B3.T9 3 DRAWER UNIT FIXED SHELF



WBH.9??.B18.T8 UNDER SHELF 3 x VERTICAL MOUNTING POSTS ADJUSTABLE SHELF TRAY 1 DRAWER UNIT 1 DRAWER UNIT 2 x PEG BOARDS & 2 x LOUVRE PANELS



WBH.9??.B15.T1 UNDER SHELF 3 x VERTICAL MOUNTING POSTS 1 DRAWER UNIT 3 x ADJUSTABLE SHELF TRAYS

Workbench widths & *codes* : *1500mm* = *915* | *1800mm* = *918* |



WBH.9??.B24.T10 1 DRAWER UNIT

UNDER SHELF ADJUSTABLE INCLINED SHELF CUPBOARD UNIT (PLASTIC BINS NOT SUPPLIED)



WBH.9??.B6.T8

MOBILE 5 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS 1 DRAWER UNIT ADJUSTABLE SHELF TRAY 2 x PEG BOARDS & 2 x LOUVRE PANELS



WBH.9??.B13.T8 MOBILE CUPBOARD ADJUSTABLE SHELF TRAY

MOBILE 5 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS 2 x PEG BOARDS & 2 x LOUVRE

2100mm = 921



WBH.9??.B25.T9 UNDER SHELF FIXED SHELF

CUPBOARD UNIT **5 DRAWER UNIT**



WBH.9??.B21.T4

UNDER SHELF 3 x VERTICAL MOUNTING POSTS 5 DRAWER UNIT 2 x ADJUSTABLE SHELF TRAYS 2 x PEG BOARDS



WBH.9??.B25.T8

UNDER SHELF 3 x VERTICAL MOUNTING POSTS CUPBOARD UNIT ADJUSTABLE SHELF TRAY 5 DRAWER UNIT 2 x PEG BOARDS & 2 x LOUVRE

OR CHOOSE A CONFIGURED WORKBENCH

....and combine it with your workbench width to complete the configuration

Workbench widths & codes : 1500mm = 915 | 1800mm = 918 | 2100mm = 921



WBH.9??.B25.T10 UNDER SHELF ADJUSTABLE INCLINED SHELF CUPBOARD UNIT (PLASTIC BINS NOT SUPPLIED) **5 DRAWER UNIT**





WBH.9??.B13.T10 MOBILE 5 DRAWER UNIT ADJUSTABLE INCLINED SHELF MOBILE CUPBOARD



WBH.9??.B3.T3 3 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS 2 x ADJUSTABLE SHELF TRAYS 2 x PEG BOARDS



WBH.9??.B3.T1 3 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS 3 x ADJUSTABLE SHELF TRAYS



WBH.9??.B3.T7 3 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS ADJUSTABLE SHELF TRAY 4 x LOUVRE PANELS



WBH.9??.B21.T3 UNDER SHELF 3 x VERTICAL MOUNTING POSTS 5 DRAWER UNIT 2 x ADJUSTABLE SHELF TRAYS 2 x PEG BOARDS



WBH.9??.B24.T9 UNDER SHELF FIXED SHELF CUPBOARD UNIT 1 DRAWER UNIT



WBH.9??.B21.T7 UNDER SHELF 3 x VERTICAL MOUNTING POSTS 5 DRAWER UNIT ADJUSTABLE SHELF TRAY 4 x LOUVRE PANELS



WBH.9??.B24.T6 UNDER SHELF 3 x VERTICAL MOUNTING POSTS CUPBOARD UNIT ADJUSTABLE SHELF TRAY 1 DRAWER UNIT 4 x PEG BOARDS

Contact us today on 07 3180 3868 or Visit our website www.benchmarkss.com.au





WBH.9??.B13.T4

MOBILE 5 DRAWER UNIT 3 x VERTICAL MOUNTING POSTS MOBILE CUPBOARD UNIT 2 x ADJUSTABLE SHELF TRAYS 2 x LOUVRE PANELS



Distributed by:

BENCHMARK

SHELVING & STORAGE

07 3180 3868

info@benchmarkss.com.au www.benchmarkss.com.au



